

S158	1	(read-only) with (file near2 attribute) with automatically	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 16:53
S159	1	(read near2 only) with (file near2 attribute) with automatically	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 16:53
S160	1	(read near2 only) with (file near2 attribute) same automatically	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 18:40
S161	18	(reconstruct\$ with (WORM))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 18:42
S162	0	S161 and snapshot	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 18:40
S163	8891	707/2 or 707/4 or 707/3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 18:45
S164	91	S163 and (optimize\$1 with statements)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 18:46
S165	76	S163 and (optimize\$1 with statements) and SQL	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 18:46
S166	3	S163 and (optimize\$1 with statements) and SQL and (times with statements)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 18:48
S167	1	S163 and (optimize\$1 with statements) and SQL and (times with statements) and (convert\$ same statement)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 18:48

S16 8	2	S163 and (optimize\$1 with statements) and SQL and (times with statements) and convert\$	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 18:48
S16 9	2	S163 and (optimize\$1 with statements) and SQL and (times with statements) and replace\$	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 18:51
S17 0	2	(optimize\$1 with statements) and SQL and (times with statements) and ((replace\$ or convert\$) same statements)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 18:52
S17 1	22	(optimize\$1) and (times with statements) and ((replace\$ or convert\$) same statements)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 18:53
S17 2	9	(optimize\$1) and (times with statements) and ((replace\$ or convert\$) same query)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 18:55
S17 3	138	(optimize\$1) and (times with query) and ((replace\$ or convert\$) same query)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 19:06
S17 4	0	(unoptimized near2 statement) and JDCD	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 19:06
S17 5	2	(unoptimized near2 statement)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 19:06
S17 6	33	(optimized near2 statements)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 19:07
S17 7	4	(optimized near2 statements) same (convert\$ or replace\$)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 19:08

S178	2118	(optimized near2 statements) (convert\$ same statements)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 19:08
S179	4	(optimized near2 statements) and (convert\$ same statements)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 19:09
S180	741	(database same convert same format)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 19:09
S181	0	S180 and (optimized with statements)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 19:10
S182	0	S180 and (optimized with statements)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 19:10
S183	1	S180 and (modify with statements)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 19:11
S184	99	S180 and statements	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 19:11
S185	6	S180 and (statements with representation)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 10:46
S186	12300	707/3 or 707/10	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 10:47
S187	0	(monitor\$ same optimation same statements)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:08

S188	9	(monitor\$ same optimization same statements)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:10
S189	37	(monitor\$ same optimiz\$ same statements)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:18
S190	0	JDBC and (unicode same conversion same statement)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:18
S191	0	JDBC and (unicode same conversion same query)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:18
S192	12	JDBC and unicode	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:19
S193	4	JDBC and unicode and sql and (conversion)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:19
S194	99	JDBC and optimization	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:20
S195	41	JDBC and optimization and (SQL near2 statement)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:21
S196	31	JDBC and optimization and (JDBC same (SQL near2 statement))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:21
S197	0	JDBC and optimization and (JDBC same (SQL near2 statement)) and (unicode with format)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:22

S198	1	(JDBC same (SQL or query)) and (unicode with format)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:23
S199	115	(unicode with format)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:23
S200	4	(unicode with format) same ((SQL near2 statement) or query)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:24
S201	1	S200 and (convert\$ with format)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:24
S202	41	(unicode with format) and ((SQL near2 statement) or query)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:24
S203	10	S202 and (convert\$ with format)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:25
S204	0	S202 and (convert\$ with format) and JDBC	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:25
S205	226	(statistics same statements)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:35
S206	28	(statistics same (query with statements))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:41
S207	120	(optimization same (SQL with statements))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:42

S208	1	(optimization same (SQL with statements)) and JDBC	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:43
S209	40	(optimization same (SQL with statements)) and (convert\$ same (statement or query))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:55
S210	38	707/2 and ((track\$ or monitor\$) same (SQL near2 statements))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:57
S211	10	707/2 and ((track\$ or monitor\$) same (SQL near2 statements)) and (convert\$)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 12:16
S212	4288	707/2	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 12:16
S213	494	S212 and (optimiz\$2 with (query or statements))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 12:17
S214	0	S213 and (statement same flag same count)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 12:17
S215	8	S213 and (flag same count)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 13:45
S216	8	"6605120".pn. or "6558431".pn.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 14:47
S217	31	(replac\$3 with statement same optimiz\$)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 15:01

S21 8	36	(convert\$ with statement same optimiz\$)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 15:06
S21 9	369	(optimiz\$ with statement)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 15:07
S22 0	52	S219 and ((replac\$3 or convert\$) with statements)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 15:23
S22 1	525	(access\$ same (SQL near2 statements))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 17:52
S22 2	120	(access\$ same (SQL near2 statements)) same optimiz\$	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 17:54
S22 3	109	S222 and (transform\$ or translate\$ or convert\$)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 17:54
S22 4	36	(access\$ with (SQL near2 statements)) same optimiz\$	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 17:54
S22 5	29	S224 and (transform\$ or translate\$ or convert\$)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 17:59
S22 6	2	(tracking with usage) with statements	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 17:59
S22 7	320	(monitor\$ with statements)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:04



S228	2	"6341288".pn.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:04
S229	42	(monitors\$ with (SQL near2 statements))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:05
S230	0	S229 and (times same (previous near2 time))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:06
S231	14	S229 and (times)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:08
S232	84	(statistics same (SQL near2 statements))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:22
S233	0	(statistics same (SQL near2 statements)) and (statement with signature)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 18:09
S234	2	"6575376".pn.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 11:45
S235	0	"6115703".pn. and replace	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 11:45
S236	0	"6115703".pn. and subtitus	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 11:45
S237	0	"6115703".pn. and subtitu\$	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 12:03




S23 8	1	"6115703".pn. and tracking	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 12:23
S23 9	4288	707/2	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 12:25
S24 0	26	S239 and (times same (SQL near2 statement))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 12:27
S24 1	13	S239 and (times same (SQL near2 statement)) and ((last near2 time) or previous)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:29
S24 2	6	(optimiz\$ with statement) with statistic\$1	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:34
S24 3	2	(optimiz\$ near2 statement) with statistic\$1	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:35
S24 4	196	(optimized statement) with statistic\$1	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:35
S24 5	0	(optimized near2 statement) same statistic\$1	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:35
S24 6	5	(optimiz\$ near2 statement) same statistic\$1	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:37
S24 7	30	707/2 and (optimiz\$ near2 statement)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:37

S248	0	707/2 and (optimiz\$ near2 statement) and statistic	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:37
S249	30	707/2 and (optimiz\$ near2 statement)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:38
S250	0	707/2 and (optimiz\$ near2 statement) and statistic	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:38
S251	4	707/2 and ((optimiz\$ near2 statement) same statistic\$1)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:40
S252	65	(statistics with statements)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:41
S253	7	(statistics with statements) same optimiz\$	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 14:17
S254	0	"6219662".pn. and JDBC	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 14:18
S255	16	(statement with JDBC)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 14:25
S256	0	"6115703".pn. and JDBC	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 14:18
S257	0	(statement with JDBC) and (convert\$ with unicode)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 14:19

S25 8	1	"6575376".pn. and JDBC	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 14:27
S25 9	190	(query near2 statements) and (convert\$ sam unicode)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 14:28
S26 0	76	(query near2 statements) same (convert\$ sam unicode)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 14:28
S26 1	0	(query near2 statements) same (convert\$ same unicode)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 14:28
S26 2	0	(query near2 statements) same (convert\$ with unicode)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 14:28
S26 3	0	(query near2 statements) and (convert\$ with unicode)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 14:28
S26 4	148	(convert\$ with unicode)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 14:28
S26 5	0	(convert\$ with unicode) and JDDC	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 14:29
S26 6	0	(convert\$ with unicode) and statment	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 14:29
S26 7	34	(convert\$ with unicode) and query	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 15:39

S26 8	1	"6115703".pn. and request	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 15:49
S26 9	0	707/2 and (optimiz\$ same (execut\$ with statement) same (rank\$ with result\$1))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 15:52
S27 0	0	707/2 and ((execute\$ with statement) same (rank\$ with result\$1))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 15:52
S27 1	0	((execute\$ with statement) same (rank\$ with result\$1))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 15:52
S27 2	5266	(rank\$ with result\$1)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 15:53
S27 3	1	(rank\$ with result\$1) same (SQL near2 statement)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 16:18
S27 4	1362	(rank\$ with result\$1).ab.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 15:56
S27 5	1	(rank\$ with result\$1).ab. and (SQL near2 statement)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 15:56
S27 6	0	(statement near2 object) same statistic	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 16:20
S27 7	1	(statement with object) same statistic	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 16:20



## Web

Results 1 - 10 of about **144,000** for **converting the SQL statements**. (0.07 seconds)

### Call Level Interface Guide and Reference

**Converting** Character **SQL** Data to C Data; **Converting** Graphic **SQL** Data to C Data

... Appendix I. Supported **SQL** Statements. Appendix J. Example Code Listing ...

www.uic.rsu.ru/doc/db/DB2CLI/db2l003.htm - 31k - [Cached](#) - [Similar pages](#)

### Static Conversion Mode

... a means of **converting** static **SQL** statements to dynamic statements with little or no ... All static **SQL** statements are converted to dynamic statements. ...

docs.hp.com/en/36217-90194/ch01s02.html - 31k - [Cached](#) - [Similar pages](#)

### MySQL Forums :: Oracle :: Re: How to convert the sql statement ...

I'm running some **sql** statements to create table in > the database. The statements are working fine in > Oracle DB server. However, if I run those **sql** ...

forums.mysql.com/read.php?61,5325,6168 - 12k - [Cached](#) - [Similar pages](#)

### Contents

**Converting** a Smart Large Object to a File or Buffer. Using Operating-System Files

... Executing **SQL** Statements. Choosing a DataBlade API Function ...

publib.boulder.ibm.com/infocenter/ids9help/topic/com.ibm.dapip.doc/dapip02.htm - 59k - [Cached](#) - [Similar pages](#)

### File Manager/DB2 Data V5R1 User's Guide - Contents

**Converting** data to uppercase. "Read-only" views, non-updateable columns. Deleting rows

... Edit and Execute **SQL** Statements from a Data Set panel ...

publib.boulder.ibm.com/infocenter/pdthelp/topic/com.ibm.filemanager5.doc/db2/fmnu2e0102.htm - 84k - [Cached](#) - [Similar pages](#)

### iSeries (AS/400) SQL and Query Tips and Techniques

A Way to Capture **SQL** Statements by Kristian Bryant view. Accelerating Your Queries with ... **Converting** character fields to numeric fields with **SQL** view ...

www.as400pro.com/servlet/sql.tipListing?cat=SQL - 35k - [Cached](#) - [Similar pages](#)

### [Go-database] convert sql statements from mysql to oracle

[Go-database] convert **sql** statements from mysql to oracle. CHANG, MEIPING [R&D/1005]

meiping.chang@pharmacia.com Tue, 17 Sep 2002 17:19:26 -0400 ...

mail.fruitfly.org/pipermail/go-database/2002-September/000115.html - 3k - [Cached](#) - [Similar pages](#)

### [Go-database] convert sql statements from mysql to oracle

[Go-database] convert **sql** statements from mysql to oracle. Chris Mungall

cjm@fruitfly.org Sun, 22 Sep 2002 14:25:55 -0700 (PDT) ...

mail.fruitfly.org/pipermail/go-database/2002-September/000120.html - 4k - [Cached](#) - [Similar pages](#)

[ More results from mail.fruitfly.org ]

### Simple SQL-statements into Python classes

Previous message: Simple **SQL**-statements into Python classes ... wrote: > Has anybody made an attempt at **converting** simple **SQL**-statements ( mainly > plain ...

mail.python.org/pipermail/python-list/2002-November/132155.html - 6k - [Cached](#) - [Similar pages](#)

### [RTF] Guidelines for converting SQR reports from sybase to oracle

File Format: Rich Text Format - [View as HTML](#)

Guidelines for **converting** SQR reports from Sybase to Oracle ... Since these tables

will always exist in the database, the **SQL statements** used to create the ...  
batboy.fms.indiana.edu/ sq/pdq\_conversion\_guidelines.rtf - [Similar pages](#)

Goooooooooooooogle ►

Result Page:    1   2   3   4   5   6   7   8   9   10    **Next**

 Google Desktop Search   9:30 AM  
Free! Instantly find your email, files, media and web history. [Download now](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google